

Material Safety Data Sheet

AL-22-8

Complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200.

GOODSON

Tools and Supplies for Engine Builders
Airport Industrial Park • P.O. Box 847 • Winona, MN 55987-0847
Toll-Free 1-800-533-8010 • Local 507-452-1830 • www.goodson.com

DATE OF PREPARATION: January 15, 1995

1. IDENTIFICATION

Part No.: AL-22-8 & AL-22-10

Description: First Lube-Blood Friction Master 8oz. & 1gal.

2. HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

<u>Ingredients</u>	<u>CAS #</u>	<u><Wt. %</u>	<u>TLV-TWA</u>	<u>STEL</u>	<u>LD50/LC50</u>
--------------------	--------------	------------------	----------------	-------------	------------------

Under current laws and regulations, this material is considered non-toxic and non-hazardous.

3. PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: Base oils 600°F
Specific Gravity: .92
Vapor Pressure(mm Hg): nil
Melting Point: 600°F
Vapor Density(Air=1): n/a
Evaporation Rate: nil
Solubility in Water: negligible
Appearance & Odor: Tan - Brownish tacky - slight odor

4. FIRE & EXPLOSION HAZARD DATA

Flash Point: Base oils 430-450°F
Flammable Limits: n/d
LEL: n/d
UEL: n/d
Extinguishing Media: Foam, Dry chemical, carbon dioxide, water spray
Special Firefighting Procedures: Enter area only with proper protective equipment with self-contained breathing apparatus.
Unusual Fire & Explosion Hazards: none

5. REACTIVITY DATA

Stability: Stable
Conditions to Avoid: none
Incompatibility (materials to avoid): Strong oxidizing materials and high open flame
Hazardous Decomposition or Byproducts:
Hazardous Polymerization: Will not occur
Conditions to Avoid: none

6. HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:

Inhalation: No
Skin: Yes
Ingestion: Yes

Health Hazards (acute & chronic): Not considered to be toxic orally or dermally. Can cause eye irritation. On some individuals there is a very remote possibility of skin irritation after very prolonged contact.

CARCINOGENICITY:

NTP: No
IARC Monographs: No
OSHA Regulated: No

Signs & Symptoms of Exposure: Irritation in area of contact

Medical conditions that may be aggravated by exposure: none

Emergency & First Aid Procedures: In case of eye contact, wash thoroughly with clean fresh water for minimum of 15 minutes and get medical attention. To remove from skin use commercial hand cleaner then soap and water. If a large amount of material is swallowed, induce vomiting and call a physician.

7. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: Clean up promptly by absorption in clay or earth to prevent slipping hazard.

Waste Disposal Method: Controlled incineration. Store for professional removal and disposal, or conform with state and federal regulations.

Precautions to be taken in Handling and Storing: Can be stored outdoors or indoors, away from furnace or other heating equipment.

Other Precautions: In accordance with NFPA Code 30 - 1969 for combustible liquid Class III B

8. CONTROL MEASURES

Respiratory Protection: None required

Ventilation - Mechanical(general): Normal shop ventilation

Protective Gloves: None required

Eye Protection: Recommended but not required

Other Protective Clothing or Equipment: None required

Work / Hygienic Practices: None required