

Complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200.

GOODSON
Tools and Supplies for Engine Builders
156 Galewski Drive • P.O. Box 847 • Winona, MN 55987-0847
Toll-Free 1-800-533-8010 • Local 507-452-1830 • www.goodson.com

DATE OF PREPARATION: June 17, 2008

1. IDENTIFICATION

Part No.: EOT-16
Description: Break-In Zinc Lube
Product Code: 1604
Emergency Phone: 800-688-4005 (24 hours)

2. HAZARDOUS INGREDIENTS

SECTION 1910 * 1000 Subpart Z - Toxic Air Contaminants
29 CFR OSHA CODE
DOT 49 CFR 172.101 - Table of Hazardous Materials
EPA 40 CFR 302.4 - CERCLA Hazardous Substance List
Carcinogenic Listing: NONE
HMIS Ratings: HEALTH 1 FIRE 1 REACTIVITY 1

3. PHYSICAL DATA

Boiling Point:	325° F	Specific Gravity:	1.05 (9.25 lbs./gal.)
Vapor Pressure:	NA	Melting Point:	Not Determined
Vapor Density:	Heavier than Air	Volatile:	100%
Solubility in Water:	0%		
Appearance & Odor:	Thin Amber liquid with Petroleum Odor		

4. FIRE AND EXPLOSION HAZARD

Flash Point: 480°F **Flammable Limits:** Non Flammable
Extinguishing Media: Fires involving this product are extremely unlikely, however, should one occur, extinguish using Foam, CO2, Dry Chemical, Water Fog, Water Spray.
Unusual Fire and Explosion Hazards: Combustible
Special Fire Fighting Procedures: Stored containers should be cooled to prevent pressure build up. At extreme temperatures, this product may produce harmful byproducts of combustion. SCBA is necessary for firefighters.

5. REACTIVITY DATA

Stability: Stable
Hazardous Polymerization: Will not occur.
Hazardous Decomposition Products: Combustible byproducts
Conditions to Avoid: Open flame, extreme heat.
Materials to Avoid: Strong alkilies

6. HEALTH HAZARD DATA

Signs and Symptoms of Exposure:

Eyes: May produce mild irritation.

Skin: May produce mild irritation.

Inhalation: NA

Ingestion: Not expected to produce toxic effects when ingested.

Emergency and First Aid Procedures:

Eyes: Flush eyes with large amounts of water.

Skin: Wash thoroughly with soap and water.

Inhalation: Remove to fresh air.

Ingestion: Not expected to produce toxic results if accidentally ingested in small amounts.

7. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: Shut off leak source and contain spill. Prevent material from entering sewers or waterways. Absorbent Material and pads can be used.

Waste Disposal Method: In accordance with Federal, State, and Local laws.

STORAGE: To prevent discoloring of this product, do not store in temperatures above 130° F, or in freezing temperatures.

8. CONTROL MEASURES

Respiratory Protection: Not required under normal use. NIOSH approved Air respirator in areas of high misting or spraying.

Ventilation: Adequate.

Protective Gloves: Impermeable gloves.

Eye Protection: Goggles or face shield.

Hygienic Practices: Use good personal hygiene practices. Wash hands with soap before eating, drinking, smoking or use of toilet facilities. Oil soaked clothing should be promptly removed and laundered before reuse. Discard oil soaked leather goods.

9. DISCLAIMER

The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgements. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data, or the results to be obtained from the use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determination of the suitability of the material for any particular purpose.

REFERENCES:

Code of Regulations - DOT

Code of Regulations - EPA

Code of Regulations - OSHA

NIOSH/OSHA Guidelines for Chemical Hazards